

鑽

頭




Insert Type Indexable Drills



Since 1976







WDX
2D







▼ Recommended Inserts 刀片建議品牌: SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench		
		刀徑 DC	柄徑 DCON	裝夾接觸面直徑 DCSFMS	最大鑽頭 LUX	總長 OAL	懸伸長度 LPR	柄長 LS					
WDX130D2S20N	WDXT042004	13.0	20	33	29	100	44	56	1	CS16045		-	
WDX155D2S20N	WDXT052504	15.5			34	105	49						
WDX155D2S25N		15.5	34		105	49							
WDX160D2S25N		16.0	35		106	50							
WDX165D2S25N		16.5	36	107	51								
WDX170D2S25N		17.0	37	108	52								
WDX175D2S25N		17.5	32	38	109	53							
WDX180D2S25N	18.0	39		110	54								
WDX240D2S25N	WDXT073506	24.0	37	51	125	69	56			1	CS25055	-	
WDX245D2S25N		24.5		52	126	70							
WDX250D2S25N		25.0		53	127	71							






▼ Recommended Inserts 刀片建議品牌: SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench				
		刀徑	柄徑	裝夾接觸面直徑	最大鑽頭	總長	懸伸長度	柄長							
Right / Left		DC	DCON	DCSFMS	LUX	OAL	LPR	LS							
WDX130D3S20N	WDX T042004	13.0	20	28	42.0	101.0	57.0	44	1	CS16045	FT-6	-			
WDX135D3S20N		13.5			43.5	102.5	58.5								
WDX140D3S20N		14.0			45.0	104.0	60.0								
WDX145D3S20N		14.5			46.5	105.5	61.5								
WDX150D3S20N		15.0			48.0	107.0	63.0								
WDX155D3S20N	WDX T052504	15.5	20	28	49.5	108.5	64.5	44		1	CS20047	FT-6	-		
WDX160D3S20N		16.0			51.0	110.0	66.0								
WDX165D3S20N		16.5			52.5	111.5	67.5								
WDX170D3S20N		17.0			54.0	113.0	69.0								
WDX175D3S25N	WDX T063006	17.5	25	33	55.5	126.5	70.5	56			1	-	-	DT-7	
WDX180D3S25N		18.0			57.0	128.0	72.0								
WDX185D3S25N	WDX T063006	18.5	25	33	58.5	129.5	73.5	56		1		CS22060	-		DT-7
WDX190D3S25N		19.0			60.0	131.0	75.0								
WDX195D3S25N		19.5			61.5	132.5	76.5								
WDX200D3S25N		20.0			63.0	134.0	78.0								
WDX205D3S25N		20.5			64.5	135.5	79.5								
WDX210D3S25N		21.0			66.0	137.0	81.0								
WDX215D3S25N		21.5			67.5	138.5	82.5								
WDX220D3S25N		22.0			69.0	140.0	84.0								
WDX225D3S25N		22.5			70.5	141.5	85.5								
WDX230D3S25N		WDX T073506			23.0	25	33		72.0	146.0	90.5			56	
WDX235D3S25N	23.5		73.5	147.5	91.5										
WDX240D3S25N	24.0		75.0	149.0	93.0										
WDX245D3S25N	24.5		76.5	150.5	94.5										
WDX250D3S25N	25.0		78.0	152.0	96.0										
WDX255D3S32N	32		41	79.5	159.5	99.5	60								
WDX260D3S32N				81.0	161.0	101.0									
WDX265D3S32N				82.5	162.5	102.5									
WDX270D3S32N				84.0	164.0	104.0									
WDX275D3S32N				85.5	165.5	105.5									
WDX280D3S32N	WDX T094008	32	41	87.0	167.0	107.0	60	2	CS35095	-	DBIT-T15				
WDX285D3S32N				88.5	168.5	108.5									
WDX290D3S32N				29.0	91.0	172.0						112.0			
WDX295D3S32N				29.5	92.5	173.5						113.5			
WDX300D3S32N				30.0	94.0	178.0						118.0			
WDX310D3S32N		40	54	97.0	181.0	121.0	70								
WDX320D3S32N				100.0	184.0	124.0									
WDX330D3S40N				103.0	197.0	127.0									
WDX340D3S40N				106.0	200.0	130.0									
WDX350D3S40N				109.0	203.0	133.0									
WDX360D3S40N	WDX T125012	40	54	112.0	206.0	136.0	70	2	CS50100	-	DBIT-T20				
WDX370D3S40N				116.0	216.0	146.0									
WDX380D3S40N				119.0	219.0	149.0									
WDX390D3S40N				122.0	222.0	152.0									
WDX400D3S40N				125.0	225.0	155.0									
WDX410D3S40N				128.0	228.0	158.0									
WDX420D3S40N				131.0	231.0	161.0									
WDX430D3S40N				134.0	234.0	164.0									
WDX440D3S40N				137.0	237.0	167.0									
WDX450D3S40N	140.0	240.0	170.0												



▼ Recommended Inserts 刀片建議品牌: SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench				
		刀徑	柄徑	裝夾接觸面直徑	最大鑽頭	總長	懸伸長度	柄長							
Right / Left		DC	DCON	DCSFMS	LUX	OAL	LPR	LS							
WDX130D4S20N	WDX T042004	13.0	20	28	55	114	70	44	1	CS16045	FT-6	-			
WDX135D4S20N		13.5			57	116	72								
WDX140D4S20N		14.0			59	118	74								
WDX145D4S20N		14.5			61	120	76								
WDX150D4S20N		15.0			63	122	78								
WDX155D4S20N	WDX T052504	15.5	20	28	65	124	80	44		1	CS20047	FT-6	-		
WDX160D4S20N		16.0			67	126	82								
WDX165D4S20N		16.5			69	128	84								
WDX170D4S20N		17.0			71	130	86								
WDX175D4S25N	WDX T063006	17.5	25	33	73	144	88	56			1	CS22060	-	DT-7	
WDX180D4S25N		18.0			75	146	90								
WDX185D4S25N	WDX T073506	18.5	25	33	77	148	92	56				1	CS25055	-	DT-8
WDX190D4S25N		19.0			79	150	94								
WDX195D4S25N		19.5			81	152	96								
WDX200D4S25N		20.0			83	154	98								
WDX205D4S25N		20.5			85	156	100								
WDX210D4S25N		21.0			87	158	102								
WDX215D4S25N		21.5			89	160	104								
WDX220D4S25N		22.0			91	162	106								
WDX225D4S25N		22.5			93	164	108								
WDX230D4S25N		WDX T094008			23.0	32	41		95						
WDX235D4S25N	23.5		97	171	115										
WDX240D4S25N	24.0		99	173	117										
WDX245D4S25N	24.5		101	175	119										
WDX250D4S25N	25.0		103	177	121										
WDX255D4S32N	25.5		105	185	125										
WDX260D4S32N	26.0		107	187	127										
WDX265D4S32N	26.5		109	189	129										
WDX270D4S32N	27.0		111	191	131										
WDX275D4S32N	27.5		113	193	133										
WDX280D4S32N	WDX T125012	28.0	40	54	115	195	135	70	2	CS50100	-		DBIT-T20		
WDX285D4S32N		28.5			117	197	137								
WDX290D4S32N		29.0			120	201	141								
WDX295D4S32N		29.5			122	203	143								
WDX300D4S32N		30.0			124	208	148								
WDX310D4S32N		31.0			128	212	152								
WDX320D4S32N		32.0			132	216	156								
WDX330D4S40N		33.0			136	230	160								
WDX340D4S40N		34.0			140	234	164								
WDX350D4S40N		35.0			144	238	168								
WDX360D4S40N	WDX T125012	36.0	40	54	148	242	172	70		2	CS50100	-	DBIT-T20		
WDX370D4S40N		37.0			153	253	183								
WDX380D4S40N		38.0			157	257	187								
WDX390D4S40N		39.0			161	261	191								
WDX400D4S40N		40.0			165	265	195								
WDX410D4S40N		41.0			169	269	199								
WDX420D4S40N		42.0			173	273	203								
WDX430D4S40N		43.0			177	277	207								
WDX440D4S40N		44.0			181	281	211								
WDX450D4S40N	45.0	185	285	215											



▼ Recommended Inserts 刀片建議品牌: SUMITOMO

Order No.	Insert	Dimensions(mm)							Fig	Screw	Wrench				
		刀徑 DC	柄徑 DCON	裝夾接觸面直徑 DCSFMS	最大鑽頭 LUX	總長 OAL	懸伸長度 LPR	柄長 LS							
WDX130D5S20N	WDX T042004	13.0	20	28	68.0	127.0	83.0	44	1	CS16045	FT-6	-			
WDX135D5S20N		13.5			70.5	129.5	85.5								
WDX140D5S20N		14.0			73.0	132.0	88.0								
WDX145D5S20N		14.5			75.5	134.5	90.5								
WDX150D5S20N		15.0			78.0	137.0	93.0								
WDX155D5S20N	WDX T052504	15.5	20	28	80.5	139.5	95.5	44		1	CS20047	FT-6	-		
WDX160D5S20N		16.0			83.0	142.0	98.0								
WDX165D5S20N		16.5			85.5	144.5	100.5								
WDX170D5S20N		17.0			88.0	147.0	103.0								
WDX175D5S25N	WDX T063006	17.5	25	33	90.5	161.5	105.5	56			1	CS22060	-	DT-7	
WDX180D5S25N		18.0			93.0	164.0	108.0								
WDX185D5S25N	WDX T063006	18.5	25	33	95.5	166.5	110.5	56		1		CS22060	-	DT-7	
WDX190D5S25N		19.0			98.0	169.0	113.0								
WDX195D5S25N		19.5			100.5	171.5	115.5								
WDX200D5S25N		20.0			103.0	174.0	118.0								
WDX205D5S25N		20.5			105.5	176.5	120.5								
WDX210D5S25N		21.0			108.0	179.0	123.0								
WDX215D5S25N		21.5			110.5	181.5	125.5								
WDX220D5S25N	22.0	113.0	184.0	128.0											
WDX225D5S25N	22.5	115.5	186.5	130.5											
WDX230D5S25N	WDX T073506	23.0	25	33	118.0	192.0	136.0	56	1			CS25055	-	DT-8	
WDX235D5S25N		23.5			120.5	194.5	138.5								
WDX240D5S25N		24.0			123.0	197.0	141.0								
WDX245D5S25N		24.5			125.5	199.5	143.5								
WDX250D5S25N		25.0			128.0	202.0	146.0								
WDX260D5S32N	WDX T094008	26.0	32	41	133.0	213.0	153.0	60			2	CS35095	-	DBIT-T15	
WDX270D5S32N		27.0			138.0	218.0	158.0								
WDX280D5S32N		28.0			143.0	223.0	163.0								
WDX290D5S32N	WDX T094008	29.0	32	41	149.0	230.0	170.0	60		2		CS35095	-	DBIT-T15	
WDX300D5S32N		30.0			154.0	238.0	178.0								
WDX310D5S32N		31.0			159.0	243.0	183.0								
WDX320D5S32N		32.0			164.0	248.0	188.0								
WDX330D5S40N	WDX T125012	33.0	40	54	169.0	263.0	193.0	70				2	CS50100	-	DBIT-T20
WDX340D5S40N		34.0			174.0	268.0	198.0								
WDX350D5S40N		35.0			179.0	273.0	203.0								
WDX360D5S40N		36.0			184.0	278.0	208.0								
WDX370D5S40N		37.0			190.0	290.0	220.0								
WDX380D5S40N	38.0	195.0	295.0	225.0											
WDX390D5S40N	39.0	200.0	300.0	230.0											
WDX400D5S40N	40.0	205.0	305.0	235.0											
WDX410D5S40N	41.0	210.0	310.0	240.0											
WDX420D5S40N	42.0	215.0	315.0	245.0											
WDX430D5S40N	43.0	220.0	320.0	250.0											
WDX440D5S40N	44.0	225.0	325.0	255.0											
WDX450D5S40N	45.0	230.0	330.0	260.0											