







Patent
No.097219025
No.097219028



IK-615-LV





SPECIFICATION

MODEL	Unit	IK-615-LV	
<u>Spindle</u>			
Spindle Bore Diameter		NT50	
Diameter of Spindle Nose	mm	Ø128.6	
Spindle Motor	Hp	15	
Step of Spindle Speed	stage	6	
Spindle Speed (50Hz)	rpm	102	299
		153	407
		199	611
Spindle Speed (60Hz)	rpm	122	359
		183	488
		239	733
<u>Working Range</u>			
Max Diameter of Cutter	mm	200	
Travel	mm	480(up 230 /down 250)	
Rapid Travel AC Motor		0.4Kw/0.5Hp AC 3 Phase 4 Poles x 1/40	
Rapid Travel Speed	mm/min	177(50Hz) 218(60Hz)	
Reversal Slide		2mm/rev → ← 0.01mm	

※We reserve the right to modify the design and specifications without notice in advance.



STANDARD ACCESSORIES		
Spindle Motor(15HP)		●
Rapid Travel AC Motor		●
OPTIONAL ACCESSORIES (APOLEGAMY)		
Pneumatic Blade Locking Device		○
Bearing Guide Screw		○
Pneumatic Leveler		○
IK-A90 Angular Head		○
IK-D90 Deep Head		○
IK-U90 Universal Head		○
IK-U45 Universal Head		○
Place of Origin	Taiwan	
Weight (Approximate)	kg	579
Warranty	1 year (non artificial mistake)	

※We reserve the right to modify the design and specifications without notice in advance.

